

| Illawarra plant species for riparian restoration | | | |
|---|----------------------|---|--|
| Landcare Illawarra, June 2024 | | | |
| Botanical name | Common name | Form | Preferred conditions |
| <i>Acacia melanoxylon</i> | Blackwood | Tree | Upper bank, rarely if ever inundated |
| <i>Achronychia oblongifolia</i> | White Aspen | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Alectryon subcinereus</i> | Native Quince | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Alisma plantago-aquatica</i> | Water Plantain | Herb | Aquatic, soil always wet |
| <i>Allocasuarina littoralis</i> | Sheoak | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Alocasia brisbanensis</i> | Cunjevoi | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Alphitonia excelsa</i> | Red Ash | Tree | Upper bank, rarely if ever inundated |
| <i>Archontophoenix cunninghamiana</i> | Bangalow Palm | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Austrostipa ramossisima</i> | Stout Bamboo Grass | Grass/Sedge/Rush/ Strap-leaved plant | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Backhousia myrtifolia</i> | Grey Myrtle | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Bacopa monnieri</i> | Brahmi | Groundcover | Aquatic, soil always wet Base of bank, soil usually wet, regularly inundated during rain |
| <i>Bolboschoenus fluviatilis</i> | Marsh Club-Rush | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Brachychiton acerifolius</i> | Illawarra Flame Tree | Tree | Upper bank, rarely if ever inundated |
| <i>Breynia oblongifolia</i> | Coffee Bush | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Bursaria spinosa</i> | Blackthorn | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Callistemon salignus</i> | Willow Bottlebrush | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |

| | | | |
|---------------------------------|-------------------|---|--|
| <i>Carex appressa</i> | Tall Sedge | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Carex fascicularis</i> | Tassel Sedge | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Carex longebrachiata</i> | Drooping Sedge | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Casuarina cunninghamiana</i> | River Sheoak | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Casuarina glauca</i> | Swamp Oak | Tree | Base of bank, soil usually wet, regularly inundated during rain |
| <i>Casuarina glauca</i> | Swamp Oak | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Christella dentata</i> | Binung | Fern | Base of bank, soil usually wet, regularly inundated during rain |
| <i>Crinum pedunculatum</i> | Swamp Lily | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Cryptocarya glaucescens</i> | Jackwood | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Cryptocarya microneura</i> | Murrogun | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Cyathea australis</i> | Routh Tree Fern | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Cyathea cooperi</i> | Straw Tree Fern | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Dianella caerulea</i> | Blue Flax Lily | Grass/Sedge/Rush/ Strap-leaved plant | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Dichondra repens</i> | Kidney Weed | Groundcover | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Dodonaea viscosa</i> | Hop Bush | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Doodia aspera</i> | Prickly Rasp Fern | Fern | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Einadia hastata</i> | Berry Saltbush | Shrub | Upper bank, rarely if ever inundated |
| <i>Elaeocarpus reticulatus</i> | Blueberry Ash | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |

| | | | |
|--|-----------------------|---|--|
| <i>Eleocharis sphacelata</i> | Tall Spike Rush | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Emmenosperma alphitoniodes</i> | Yellow Ash | Tree | Upper bank, rarely if ever inundated |
| <i>Erehtia accuminata</i> | Koda | Tree | Upper bank, rarely if ever inundated |
| <i>Eucalyptus amplifolia</i> | Cabbage Gum | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Eucalyptus quadrangulata</i> | White-top Box | Tree | Upper bank, rarely if ever inundated |
| <i>Eucalyptus robusta</i> | Swamp Mahogany | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Eucalyptus saligna</i> x <i>E. botryoides</i> | Wollongong Woollybutt | Tree | Upper bank, rarely if ever inundated |
| <i>Eucalyptus tereticornis</i> | Forest Red Gum | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Eupomatia laurina</i> | Bolwarra | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Ficus coronata</i> | Sandpaper Fig | Tree | Base of bank, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Ficus macrophylla</i> | Moreton Bay Fig | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Ficus obliqua</i> | Small-leaved Fig | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Ficus superba</i> | Deciduous Fig | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Glochidion ferdinandi</i> | Cheese Tree | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Gmelina leichhardtii</i> | White Beech | Tree | Upper bank, rarely if ever inundated |
| <i>Goodenia ovata</i> | Hop Goodenia | Shrub | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Guioa semiglauca</i> | Guioa | Tree | Upper bank, rarely if ever inundated |

| | | | |
|------------------------------------|----------------------------|---|--|
| <i>Hibiscus heterophyllus</i> | Native Hibiscus | Shrub or tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Homalanthus populifolius</i> | Bleeding Heart | Shrub | Upper bank, rarely if ever inundated |
| <i>Imperata cylindrica</i> | Blady Grass | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Indigofera australis</i> | Austral Indigo | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Juncus usitatus</i> | Common Rush | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Lepironia articulata</i> | Grey Sedge | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Leptospermum polygalifolium</i> | Tantoon | Shrub | Upper bank, rarely if ever inundated |
| <i>Livistona australis</i> | Cabbage Palm | Tree | Upper bank, rarely if ever inundated |
| <i>Lomandra longifolia</i> | Common Mat-rush | Grass/Sedge/Rush/ Strap-leaved plant | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Machaerina articulata</i> | Jointed Twig-rush | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Melaleuca decora</i> | White-feather Honey-myrtle | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Melaleuca linariifolia</i> | Snow-in-summer | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Melaleuca styphelioides</i> | Prickly-leaved Paperbark | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Melicope micrococca</i> | Hairy-leaved Doughwood | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Myrsine howittiana</i> | Scrub Muttonwood | Tree | Upper bank, rarely if ever inundated |
| <i>Myrsine variabilis</i> | Muttonwood | Tree | Upper bank, rarely if ever inundated |
| <i>Ozothamnus diosmifolius</i> | Rice Flower | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Pennantia cunninghamii</i> | Brown Beech | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Pittosporum revolutum</i> | Brisbane Laurel | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |

| | | | |
|---------------------------------|-----------------------|---|--|
| <i>Plectranthus graveolens</i> | Native Basil | Herb | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Plectranthus parviflorus</i> | Cockspur Flower | Herb | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Poa labillardierei</i> | Common Tussock | Grass/Sedge/Rush/ Strap-leaved plant | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Podocarpus elatus</i> | Illawarra Plum Pine | Tree | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Schoenoplectus validus</i> | River Club-rush | Grass/Sedge/Rush/ Strap-leaved plant | Aquatic, soil always wet |
| <i>Sloanea australis</i> | Maiden's Blush | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events |
| <i>Solanum aviculare</i> | Kangaroo Apple | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Streblus brunonianus</i> | Whalebone Tree | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Synoum glandulosum</i> | Scentless Rosewood | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Syzygium australe</i> | Brush Cherry | Tree | Base of bank, soil usually wet, regularly inundated during rain Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Syzygium smithii</i> | Lilly Pilly | Tree | ` |
| <i>Themeda triandra</i> | Kangaroo Grass | Grass/Sedge/Rush/ Strap-leaved plant | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Toona ciliata</i> | Red Cedar | Tree | Upper bank, rarely if ever inundated |
| <i>Viola hederacea</i> | Native Violet | Groundcover | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |
| <i>Wilkiea huegeliana</i> | Veiny Wilkiea | Tree | Upper bank, rarely if ever inundated |
| <i>Zieria smithii</i> | Sandfly Zieria | Shrub | Middle of bank, inundated during flood events Upper bank, rarely if ever inundated |